

**Work Order ID 67327**

Tuesday, March 15, 2011 10:19:08 AM



Page 1

Item ID: D412-724-044

Accept



Setup Start



Revision ID:

Stop



Item Name: Head Rest Assembly, RH

Start Date: 3/15/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 3/21/2011 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
N/A	Rev N/A								

100

0.00



DOCUMENT CONTROL

DC

Memo

0.00

Document Control

If D412-724-044 is a W/O on it's own, ☐ Photocopy bluefile and create labels per  
PPP D412-724-044 CHG001

Su/03/21

H-66 BG 11-3-18 ①

110

0.00



Pick Kit

Packaging

Memo

0.00

Packaging

11/3/18

120

0.00



QC4- 100% Inspect kits for completeness

QC

Memo

0.00

Quality Control

Su/03/21

⑩

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 67327

Tuesday, March 15, 2011 10:19:08 AM



Page 2

Item ID: D412-724-044

Accept



Setup Start



Revision ID:

Stop



Item Name: Head Rest Assembly, RH

Start Date: 3/15/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 3/21/2011 Req'd Qty: 1.00



Customer:

Reference:

Run Start



Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  Packaging	Packaging	0.00							
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D412-724-044 044 <input type="checkbox"/> Location: <u>3/</u> <input type="checkbox"/> PPP Rev: <u>Draft</u>								
140  QC	QC21- Final Inspection - Work Order Release	0.00							
Quality Control	Memo	0.00							

11/3/21 SP ⑫

11/3/21 J

11-03-21 ①

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Tuesday, March 15, 2011 10:19:15 AM

Page 1

Work Order ID: 67327

Parent Item: D412-724-044

Parent Item Name: Head Rest Assembly, RH

Start Date: 3/15/2011

Required Date: 3/21/2011

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 04.09.08 New Issue KJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN525-10R6

Purchased

No

120

Each

96.0000



4

4

11/3/10

Screw

Location

Loc Qty

Loc Code

ST325

96

113524

96

D3303-041


Manufactured

No

120

Each

3.0000



1

1

11/3/10

Head Rest

Location

Loc Qty

Loc Code

ST186

3

63339

3

D3304-044

Manufactured

No

120

Each

8.0000



1

1

11/3/10

Tube Assembly

Location

Loc Qty

Loc Code

ST187

8

54443

8

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**REFERENCE ONLY****3.0 INSTALLATION PROCEDURE****To install a Dart Head Rest Assembly:**

- 3.1 If installed, remove the existing Head Rest Assembly by pulling the quick release pin that attaches it to the seat. Make note of the installation position (if applicable).
- 3.2 Inspect the seat for damage in the vicinity of the Head Rest Assembly. Consult the Aircraft Maintenance Manual for disposition if damage is observed.
- 3.3 If only replacing the Head Rest with the equivalent Dart D3303-041 Head Rest, separate the existing Head Rest from the existing Tube Assembly by undoing 4 screws. Re-assemble D3303-041 Head Rest with existing Tube Assembly by installing 4 screws and tightening to 15-25 in lb.
- 3.4 If only replacing the Tube Assembly with a Dart D3304-041/-043/-044 Tube Assembly, separate the existing Head Rest from the existing Tube Assembly by undoing 4 screws. Re-assemble existing Head Rest with Dart D3304-041/-043/-044 Tube Assembly by installing 4 screws and tightening to 15-25 in lb.
- 3.5 Slide the new or modified Head Rest Assembly into the seat tube and lock in place at the same location that the old Head Rest Assembly was installed (if applicable) using the quick release pin. Ensure pin is properly engaged.

**4.0 WEIGHT AND BALANCE**

There is negligible weight change associated with the installation of the Dart Head Rests.

**5.0 PARTS LIST**

QTY -011	QTY -041	QTY -043	QTY -044	Part Number	Description
X				D412-724-011	Dart Replacement Head Rest Kit, for 205/212/412
2	X			D412-724-041	Head Rest Assembly, Center
1		X		D412-724-043	Head Rest Assembly, LH
1			X	D412-724-044	Head Rest Assembly, RH
	1	1	1	D3303-041	Head Rest
	1			D3304-041	Tube Assembly
		1		D3304-043	Tube Assembly
			1	D3304-044	Tube Assembly
	4	4	4	AN525-10R6	Screw

